Ref #	Hits	Search Query	DBs ⁴	Default Operator	Plurals	Time Stamp
L1	7	"6131811".pn. or "6293462".pn. "6402029".pn. "6938821".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:56
L2	142	((id identi\$5 identification) with (SIM (subscriber with identity with module)) with serial with (cod\$3 number value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:00
L3	0	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:55
L4	269	((SIM (subscriber with identity with module)) with serial with (cod\$3 number value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:56
L5	0	1 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:56
L6	156660	(serial with (cod\$3 number value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:56
L7	0	1 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 11:56
L8	269	((SIM (subscriber with identity with module)) with serial with (cod\$3 number value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:00

1.0	474	//CTAA /	HC DCDHC	00	011	2007/02/05 12 61
L9	471	((SIM (subscriber with identity with module)) with (manufactur\$3 serial) with (cod\$3 number value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:01
L10	0	1 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:01
L11	3662	anonymous\$2 with (id identi\$5 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:03
L12	0	9 same 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:02
L13	4620	anonym\$5 with (id identi\$5 identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:03
L14	. 6789	13 samd 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:03
L15	0	13 same 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 12:03
L16	. 5	13 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 13:42

L18	8	(pre-paid prepaid prepay\$3) with GSM and ((SIM (subscriber with identity with module)) with (manufactur\$3 serial) with (cod\$3 number value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 13:45
.L19	8	(pre-paid prepaid prepay\$3) with GSM and ((SIM (subscriber with identity with module)) with (manufactur\$3 serial) with (cod\$3 number value key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 13:53
L20	18	(pre-paid prepaid prepay\$3) with GSM and ((SIM (subscriber with identity with module)) with (manufactur\$3 serial) with (cod\$3 number value key) (SSN ICCID (integrated with circuit with card with (ID identification))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 13:57
L21	5291	((SIM (subscriber with identity with module)) with (manufactur\$3 serial) with (cod\$3 number value key) (SSN ICCID (integrated with circuit with card with (ID identification))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 14:00
L22	64	L13 and L21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 14:03
L23	212272	GSM AMPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 13:58
L24	13	22 and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 13:59
L25	5292	((SIM (subscriber with identi\$4 with module)) with (manufactur\$3 serial) with (cod\$3 number value key) (SSN ICCID (integrated with circuit with card with (ID identification))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/05 14:00

L27	64	L13 and L25	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2007/03/05 14:04
			DERWENT; IBM_TDB			